MSDS Report

Sample Description	WIRELESS HEADPHONES charging case HA-NP35	
&Model	WIRELESS READPRONES CHarging case na-NPSS1	
Applicant	Cosonic Electroacoustic Technology Co., Ltd.	
Address	No.151, Shipai Section, Dongyuan Avenue, Shipai Town, Dongguan City, Guangdong Province, P.R. China	

时间信息/Date	
鉴定日期/Inspection Date:	2022-4-13~2022-4-20
签发日期/Issue Date:	2022-4-21
报告有效期/Period of Validity:	2022-12-30

Material Safety Data Sheet

Section 1- Chemical Product and Company Identification

Chemical product identification

Sample Description: WIRELESS HEADPHONES charging case

Sample Model: HA-NP35T Recommended Uses: N/A Restrictions on use: N/A

Supplier name: Cosonic Electroacoustic Technology Co., Ltd.

Address: No.151, Shipai Section, Dongyuan Avenue, Shipai Town,

Dongguan City, Guangdong Province, P.R. China.

Phone number: 0769-22862666

FAX: 0769-22860600

E-mail: nickyu@cosonic.com

Emergency phone number: 0769-22862666

Section2-Hazards Identification

Emergency overview: This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery charger.

In case of rupture: the below hazards exist.

CAS# 7429-90-5

Classification according to GHS

Substances and mixtures which, in contact with water, emit flammable gases (2,3)

Specific target organ toxicity, repeated exposure (1) (respiratory system)

Label elements

Hazard pictogram(s):

Signal word: Danger

Hazard statement(s):

H261 In contact with water releases flammable gas

H372 Causes damage to organs through prolonged or repeated exposure (respiratory system)

H413 May cause long lasting harmful effects to aquatic life

Precautionary statement(s)

Prevention:

P223 Do not allow contact with water.

P231+P232 Handle and store contents under inert gas, Protect from moisture.

P280 Wear protective gloves, protective clothing, eye protection and face

protection.

P260 Do not breathe dust.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

Response

P302+P335+P334 IF ON SKIN: Brush off loose particles from skin and immerse in cool water.

P370+P378 In case of fire: Use the appropriate media put out the fire.

P314 Get medical advice if you feel unwell.

Storage

P402+P404 Store in a dry place. Store in a closed container.

Disposal:

P501 Contents handling to approved waste treatment plants.

CAS#7440-50-8

Classification according to GHS

Sensitisation, skin (1, 1A, 1B)

Specific target organ toxicity, single exposure (1) (digestive system)

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

Label elements

Hazard pictogram(s)

Signal word: Danger

Hazard statement(s)

H317 May cause an allergic skin reaction

H370 Cause damage to organs (digestive system)

H335 May cause respiratory irritation

Precautionary statemet(s)

Prevention:

P260 Do not breathe dust, fume.

P272 Contaminated work clothing should not be allow out of the workplace.

P280 Wear protective gloves, eye protection, face protection.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

Response:

P302+P352 IF ON SKIN: Wash with plenty water.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P321 Specific treatment (See additional emergency instructions).

P362+P364 Take off contaminated clothing and wash it before reuse.

P308+P311 IF exposed or concerned: Call a POISON CENTER.

P304+P340 IFINHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER if you feel unwell.

Storage

P403+P233 in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Contents handling to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11 Environmental hazards: See Section 12

CAS#7440-02-0

Classification according to GHS

Sensitisation, respiratory (1, 1A, 1B)

Sensitisation, skin (1, 1A, 1B)

Carcinogenicity (2)

Specific target organ toxicity, single exposure (1) (kidney)

Specific target organ toxicity, single exposure (1)

Hazardous to the aquatic environment, long-term hazard (4)

Label elements

Hazard pictogram(s)

Signal word: Danger

Hazard statement(s)

H334 May cause allergy or asthma symptoms or breathing difficulties if

inhaled

H317 May cause an allergic skin reaction

H351 Suspected of causing cancer

H370 Cause damage to organs (kidney)

H372 Cause damage to organs through prolonged or repeated exposure (respiratory system)

H413 May cause long lasting harmful effects to aquatic life

Precautionary statemet(s)

Prevention:

P284 [In case of inadequate ventilation] wear respiratory protection

P272 Contaminated work clothing should not be allow out of the workplace.

P280 Wear protective gloves, protective closting, eye protection, face protection.

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment

Response:

P304+P340 IF INHALED: remove person to fresh air and keep comfortable

for breathing

P342+P311 If experiencing respiratory symptoms: Call a POSION CENTER

or doctor

P302+P352 IF ON SKIN: Wash with plenty water.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P321 Specific treatment (See additional emergency instructions).

P362+P364 Take off contaminated clothing and wash it before reuse.

P308+P313 IF exposed or concerned: Get medical advice.

P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor

P304+P340 IFINHALED: Remove person to fresh air and keep comfortable for breathing.

P314 Get medical advice if you feel unwell.

Storage

P405 Store locked up.

Disposal

P501 Contents handling to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11 Environmental hazards: See Section 12

Section 3-Composition/Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	Weight(%)
Aluminum Foil	7429-90-5	4-10
Copper Foil	7440-50-8	8-15
Ni	7440-02-0	15-20
Cobalt	10124-43-3	6-8
Mn	7439-96-5	9-12
Graphite	7782-42-5	20-24
SBR	9003-55-8	0.5-2
Polyvinylidene Fluoride	24937-79-9	0.5-2
Electrolyte	21324-40-3	12-20
Other	N/A	5-10

Section 4-First Aid Measure

Description of first aid measures

General information No special measure required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial response if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: No date available. Most important symptoms/effects, acute and delayed: No date available. Indication of immediate medical attention and special treatment needed: No date available.

Section 5-Fire Fighting Measures

Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment.

Such as dry powder, CO₂

Unsuitable extinguishing media:

No data available.

Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150 $^{\circ}$ C (302 $^{\circ}$ F)), when damaged or abused(e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6-Accidental Release Measures

Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure ad3equate ventilation

Protective equipment:

No date available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Environment precautions:

Do not allow material to be release to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

All waste must refer to the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7-Handling and Storage

Precautions for safe handling;

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection

Battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities: Requirements to be met by storerooms and receptacles Store in a cool, dry, well-ventilated place.

Information about storage in one common storage facility Keep away from heat, avoiding the long time of sunlight.

Further information about storage conditions Keep container tightly sealed. Specific and use No data available.

Section 8-Exposure Controls/Personal Protection

Control parameters

CAS No.	ACGIH	NIOSH	OSHA
12190-79-3	N/A	N/A	N/A
24937-79-9	N/A	N/A	N/A
7429-90-5	TLY-TWA 1mg/m ³	REL-TWA 2mg/m ³	PEL-TWA 5mg/m ³
		REL-TWA 5mg/m ³	PEL-TWA 15mg/m ³
		REL-TWA 10mg/m ³	
7782-42-5	TLY-TWA 2mg/m ³	REL-TWA 2.5mg/m ³	PEL-TWA 15mppcf
			PEL-TWA 20mppcf
7440-50-8	TLY-TWA 1.2mg/m ³	REL-TWA 1mg/m ³	PEL-TWA 0.1mg/m ³
	TLY-TWA 1mg/m ³	REL-TWA 0.1mg/m ³	PEL-TWA 1mg/m ³
7440-02-0	TLY-TWA 1.5mg/m ³	REL-TWA 0.015mg/m ³	PEL-TWA 1mg/m ³
21324-40-3	N/A	N/A	N/A
9002-88-4	N/A	N/A	N/A
24937-16-4	N/A	N/A	N/A
61789-96-6	N/A	N/A	N/A
9000-11-7	N/A	N/A	N/A

Appropriate engineering measures for handling chemicals should be follow.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory system. A large number of leakage, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eyes Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Section 9-Physical and Chemical Properties

Information on basic physical and chemical properties

Colour: Black/Red/Blue/White/Green

Physical State: Prismatic Odour: Not available Odour threshold: Not available pH: Not available Melting point/freezing point: Not available Initial boiling point and boiling range: Not available Flash Point: Not available Not available Evaporation rate: Flammability (solid, gas): Not available Explosion Limits (vol% in air): Not available Vapour pressure, kPa at 20° C: Not available Vapor density: Not available Density/Relative density(water=1): Not available Solubility(ies): Not available Partition coefficient: n-octanol/water: Not available Auto-ignition temperature: Not available Decomposition temperature: Not available Viscosity: Not available

Other information:

Voltage 3.7V Electric capacity 650mAh Electric Energy 2.405Wh

Section 10-Stability and Reactivity

Reactivity: No data available. Chemical stability: Stable.

Possibility of hazardous reactions: No data available.

Conditions to Avoid: Flames, sparks, and other sources of ignition,

incompatible materials.

Incompatibilities materials: Oxidizing agents, acid, base.

Hazardous decomposition products: Carbon monoxide, carbon, dioxide,

lithium oxide fumes.

Section 11-Toxicological information

Acute Toxicity:

CAS No.	LC50/LD50
12190-79-3	No data available.

7782-42-5	No data available.
7729-90-5	No data available.
7440-50-8	No data available.
25038-54-4	No data available.
9003-07-0	No data available.

Skin corrosion/irritation: No data available. Serious eye damage/irritation: No data available.

Respiratory or Skin sensitization: No data available.

Germ Cell mutagenicity: No data available.

Carcinogenicity: No data available. Reproductive toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available.

Aspiration hazard: No data available.

Information on the likely routes of exposure: No data available.

Eye: No data available. Skin: No data available. Ingestion: No data available. Inhalation: No data available.

Section 12-Ecological Information

Ecological Toxicity: No data available.

Persistence and degradability: No data available. Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

Section 13-Disposal Considerations

Disposal methods: Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

Section 14-Transport Information

UN Number			
IATA	UN3481		
IMDG	UN3481		
UN Proper shipping name			
IATA	Lithium ion batteries contained in		
equipment			
IMDG	LITHIUM ION BATTERY CONTAINED IN		
EQUIPMENT			
Transport hazard class(es)			
IATA	9		
IMDG	9		

Packing group		
IATA	N/A	
IMDG	N/A	
Packing Sign		
IATA	N/A	
IMDG	N/A	
Environmental hazards		
Marine pollutant	No	
Special precautions for user	Not applicable	

Transport information: The WIRELESS HEADPHONES charging case HA-MP35T has passed the test Un38.3.

According to the Packing Instruction 966 section $\,\mathrm{II}\,$ of IATA DGR 63rd Edition for transportation.

According to the special provision 188 of IMDG (40-20). The products are not subject to dangerous goods.

Note: Batteries weight in the package<5kg (By air, Batteries installed in equipment).

Transport Fashion: By air, by sea.

Section 15-Regulatory Information
Safety, health and environmental regulations/legislation specific for the

substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ELINCS/NLP
12190-	Listed	Listed	Listed DSL	Listed
79-3				
7782-	Listed	Listed	Listed DSL	Listed
42-5				
7429-	Listed	Listed	Listed DSL	Listed
90-5				
7440-	Listed	Listed	Listed DSL	Listed
50-8				
25038-	Listed	Listed	Listed DSL	Listed
54-4				
9003-	Listed	Listed	Listed DSL	Listed
07-0				

Section 16-Other Information

Issue Time: 2022-04-21

Issue Department: Technical department

Modification record: Notice to reader

To the best of out knowledge, the information contained herein is

accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any materials is the sole responsibility of the user. All material may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

```
Other information:
CAS:(Chemical Abstracts Service);
EC:(European Commission);
ACGIH: (American Conference of Governmental Industrial Hygienists);
NIOSH: (US National Institute for Occupational Safety and Health);
OSHA: (US Occupational Safety and Health);
TLV:(Threshold Limit Value);
TWA:(Time Weighted Average);
STEL:(Short Term Exposure Limit);
PEL:(Permissible Exposure Level);
REL:(Recommended Exposure Limit);
PC-STEL:(Permissible concentration-time weighted average);
PC-TWA:(Permissible concentration-short time Exposure limit);
LC50:(Lethal concentration, 50 percent kill);
LD50:(Lethal dose, 50 percent kill);
IARC:(International Agency for Research on Cancer);
EC50:(Median effective concentration);
BCF:(Bioconcentration Factor):
BOD:(Biochemical oxygen demand);
NOEC:(No observed effect concentration);
NTP:(US National Toxicology Program);
RTECS:(Registry of Toxic Effects of Chemical Substances);
IATA:(International Maritime Dangerous Goods);
TDG:(Recommendations on the TRANSPORT OF DANGEROUS GOODS
Model Regulations);
TOC:(Total Organic Carbon);
TSCA:(Toxic Substances List of Canada);
DSL:(the Domestic Substances List of Canada);
NDSL:(the Non-domestic Substances List of Canada);
```

End of report